






PRNWR Average
of Mummichogs vs. year and area




PRNWR Average Volume of Mummichogs vs.
location and season






PRNWR Average Volume of Mummichogs vs. Year vs. area




PRNWR Percent Frequency of Different

Species by area 2001-2018



- Mummichog
- 4 spined stickleback
- 3 spined stickleback
- 2 spined stickleback
- 9 spined stickleback
- Silverside
- White Perch
- Eel
- Shrimp
- leech
- Green Crab
- Green Sunfish
- Yellow Perch
- Mosquito Larvae
- Mayfly nymph
- Pumpkinseed

PRNWR North Pool (2001-2011, 2013-2018)




- Mummichog
- 4 spined stickleback
- 3 spined stickleback
- 2 spined stickleback
- 9 spined stickleback
- Silverside
- White Perch
- Eel
- Shrimp
- leech
- Green Crab
- Green Sunfish

Salt Panne PRNWR 2001- 2018




- Mummichog
- 4 spined stickleback
- 3 spined stickleback
- 2 spined stickleback
- 9 spined stickleback
- Silverside
- White Perch
- Eel
- Shrimp
- leech
- Green Crab
- Green Sunfish
- Yellow Perch
- Mosquito Larvae
- Mayfly nymph
- Pumpkinseed

South Pool 2001-2018



Fish and Crab diversity at Parker River National Wildlife Refuge



Average # Pumpkinseed PRNWR North Pool

